

	Type	L #	Hits	Search Text	DBs
1	BRS	L1	106907	receiv\$3 with location near3 user or caller or subscriber	US- PGPUB ; USPAT ; EPO; JPO
2	BRS	L2	643	record\$3 with (address or location) with location near4 received	US- PGPUB ; USPAT ; EPO; JPO
3	BRS	L3	240	1 and 2	US- PGPUB ; USPAT ; EPO; JPO
4	BRS	L4	2994323	generat\$3 or transmitt\$3 near4 access adj code	US- PGPUB ; USPAT ; EPO; JPO

	Type	L #	Hits	Search Text	DBs
5	BRS	L5	176	3 and 4	US- PGPUB ; USPAT ; EPO; JPO
6	BRS	L6	0	genart\$3 near2 record\$3 with access adj code	US- PGPUB ; USPAT ; EPO; JPO
7	BRS	L7	16	generat\$3 near2 record\$3 with access adj code	US- PGPUB ; USPAT ; EPO; JPO
8	BRS	L8	0	3 and 7	US- PGPUB ; USPAT ; EPO; JPO

	Type	L #	Hits	Search Text	DBs
9	BRS	L9	827	generat\$3 with access adj code	US- PGPUB ; USPAT ; EPO; JPO
10	BRS	L10	66334 7	transmit\$4 near3 access adj code with region or zone or boundary	US- PGPUB ; USPAT ; EPO; JPO
11	BRS	L11	161	9 and 10	US- PGPUB ; USPAT ; EPO; JPO
12	BRS	L12	0	3 and 11	US- PGPUB ; USPAT ; EPO; JPO

	Type	L #	Hits	Search Text	DBs
1	BRS	L1	3357	confirm\$5 near3 location	US- PGPUB ; USPAT ; EPO; JPO
2	BRS	L2	1549	455/409-411.ccls.	US- PGPUB ; USPAT ; EPO; JPO
3	BRS	L3	13	1 and 2	US- PGPUB ; USPAT ; EPO; JPO
4	BRS	L4	7434	access adj code	US- PGPUB ; USPAT ; EPO; JPO

	Type	L #	Hits	Search Text	DBs
5	BRS	L5	0	3 and 4	US- PGPUB ; USPAT ; EPO; JPO
6	BRS	L6	2098	455/456.1- 456.5.ccls.	US- PGPUB ; USPAT ; EPO; JPO
7	BRS	L7	71	1 and 6	US- PGPUB ; USPAT ; EPO; JPO

8 68 1 4 and 7